

par **Pierre DELAGE**

Professeur à l'École nationale des ponts et chaussées (ENPC)

Directeur de recherche au Centre d'enseignement et de recherche en mécanique des sols (CERMES)

et **Yu-Jun CUI**

Directeur de recherche au Centre d'enseignement et de recherche en mécanique des sols (CERMES)

## Bibliographie

### Références

- [1] AHMED (S.), LOVELL (C.W.) et DIAMOND (S.). – *Pore sizes and strenght of compacted clay*. J. of the Geotechnical Engineering Division, ASCE, vol. 100 (GT4), p. 407-425 (1974).
- [2] ASSOULINE (S.), TESSIER (D.) et BRUAND (A.). – *A conceptual model of the water retention curve*. Water Ressources Research 34 (2), p. 223-231 (1998).
- [3] BEAR (J.). – *Dynamics of fluids in porous media*. Elsevier, Amsterdam (1969).
- [4] BIAREZ (J.), FLEUREAU (J.M.), ZERHOUNI (M.I.) et SOEPANDJI (B.S.). – *Variations de volume des sols argileux lors de cycles drainage-humidification*. Revue française de Géotechnique 41, p. 63-71 (1987).
- [5] BLACK (W.P.M.). – *A method for estimating the California Bearing Ratio of cohesive soils from plasticity data*. Géotechnique 12, p. 271-282 (1962).
- [6] CHANDLER (R.J.) et GUTIERREZ (C.I.). – *The filter paper method of suction measurement*. Géotechnique, vol. 36, p. 265-268 (1986).
- [7] CHAPMAN (D.L.). – *A contribution to the theory of electrocapillarity*. Philosophical Magazine, vol. 25, n° 6, p. 475-481 (1913).
- [8] COLLINS (K.) et MCGOWN (A.). – *The form and function of microfabric features in variety of natural soils*. Géotechnique, vol. 24, p. 233-254 (1974).
- [9] COREY (E.C.). – *Measurement of air and water permeability in unsaturated soil*. Proceedings of the Soil Science Society of America, 21, p. 7-11 (1957).
- [10] CRONEY (D.). – *The movement and distribution of water in soils*. Géotechnique, 3 (1), p. 1-16 (1952).
- [11] CRONEY (D.) et COLEMAN (J.D.). – *Pore pressure and suction in soil*. Pore pressure and suction in soils, p. 31-37, Butterworths, Londres (1961).
- [12] CRONEY (D.), COLEMAN (J.D.) et BLACK (W.P.M.). – *The movement and distribution of water in soil in relation to highway design and performance*. Highway research Board, Special Report n° 40, Washington (1958).
- [13] CUI (Y.J.), DELAGE (P.) et ALZOGHBI (P.). – *Microstructure and collapse behaviour of a loess from northern France*. Proc. of Unsat'98, Beijing, vol. 1, p. 31-36 (1998).
- [14] DANIEL (D.E.). – *Measurement of hydraulic conductivity of unsaturated soils with thermocouple psychrometers*. Soil Science Society of America Journal, 20, n° 6, p. 1125-1129 (1982).
- [15] DELAGE (P.), ALZOGHBI (P.) et CUI (Y.J.). – *Air, water and oil transfers in an unsaturated compacted silt*. Proceeding of the International Symposium on Physical Modelling and Testing in Environmental Geotechnics. La Baule, p. 61-68 (2000).
- [16] DELAGE (P.), AUDIGUIER (M.), CUI (Y.J.) et DEVEUGHELE (M.). – *Water retention properties and microstructure of various geomaterials*. Proceedings of the 11th ECSMFE, Copenhagen, vol. 3, p. 43-48 (1995).
- [17] DELAGE (P.), AUDIGUIER (M.), CUI (Y.J.) et HOWAT (M.). – *Microstructure of a compacted silty clay*. Canadian Geotechnical Journal, vol. 33, p. 150-158 (1996).
- [18] DELAGE (P.), HOWAT (M.) et CUI (Y.J.). – *The relationship between suction and swelling properties in a heavily compacted unsaturated clay*. Engineering Geology (50) 1-2, p. 31-48 (1998).
- [19] DELAGE (P.), CUI (Y.J.) et De LAURE (E.). – *Air flow through an unsaturated compacted silt*. Proc. of Unsat'98, Beijing, vol. 1, p. 563-568 (1998).
- [20] DELAGE (P.), CUI (Y.J.), YAHIA-AÏSSA (M.) et De LAURE (E.). – *On the unsaturated hydraulic conductivity of a dense compacted bentonite*. Proc. of Unsat'98, Beijing, vol. 1, p. 344-348 (1998).
- [21] De VRIES (D.A.). – *Simultaneous transfer of heat and moisture in porous media*. Trans. Am. Geophys. Un. 39, n° 5, p. 909-916 (1958).
- [22] DIAMOND (S.). – *Pore Size Distribution in clays*. Clays and clay minerals, vol. 18, p. 7-23 (1970).
- [23] EDIL (T.B.), MOTAN (S.E.) et TOHA (F.X.). – *Mechanical behaviour and testing methods of unsaturated soils*. Laboratory Shear Strength of Soil, ASTM, STP 740, p. 114-129 (1981).
- [24] FAWCETT (R.G.) et COLLIS-GEORGE (N.). – *A filter paper method for determining the moisture characteristics of soil*. Australian Journal of Experimental Agriculture and Animal Husbandry, vol. 7, p. 162-167 (1967).
- [25] FLEUREAU (J.M.) et TAÏBI (S.). – *Water-air permeabilities for unsaturated soils*. Proceedings of the 1st International Conference on Unsaturated Soils Unsat'95, Paris, vol. 2, p. 479-484, Balkema/Presses des ponts (1995).
- [26] FREDLUND (D.G.) et RAHARDJO (H.). – *Soil Mechanics for unsaturated soils*. A Wiley-Interscience Publication, John Wiley & Sons, Inc. 517 p. (1993).
- [27] GARDNER (R.). – *A method of measuring the capillary tension of soil moisture over a wide moisture range*. Soil Science, vol. 43, p. 227-283 (1937).
- [28] GARDNER (R.). – *Calculation of capillary conductivity from pressure plate outflow data*. Proceedings of the Soil Science Society of America, 20, p. 317-320 (1956).
- [29] GENS (A.) et ALONSO (E.E.). – *A framework for the behaviour of unsaturated expansive clays*. Canadian Geotechnical Journal, vol. 29, p. 1013-1032 (1992).
- [30] GOUY (G.). – *Sur la constitution de la charge électrique à la surface d'un électrolyte*. An. physique, Paris, vol. 9, p. 457-468 (1990).
- [31] GRABOWSKA-OLSZEWSKA (B.). – *SEM analysis of microstructures of loess deposits*. Bulletin of the International Association of Engineering Geology 11, p. 45-48 (1975).
- [32] HILLEL (D.). – *Fundamentals of soil physics*. Academic press, 413 p. (1980).
- [33] KASSIFF (G.), LIVNEH (M.) et WISEMAN (G.). – *Pavements on expansive clays*. Jerusalem Academic Press, 218 p. (1969).
- [34] KRISCHER (D.) et ROHNALTER (H.). – *Wärmeleitung und Dampfdiffusion in feuchten Gutern*. Ver. dt. Ing. Forschungsh, 402 p. (1940).
- [35] LAMBE (T.W.). – *The structure of compacted caly*. J. of the Soil Mechanics and Foundations Division, ASCE, vol. 84, SM2, p. 1-34 (1958).
- [36] LANG (A.R.G.). – *Osmotic coefficient and water potentials of sodium chloride solutions from 0 to 40 °C*. Austrian Journal of Chemistry 20 : p. 2017-23 (1967).
- [37] McQUEEN (I.S.) et MILLER (R.F.). – *Calibration and evaluation of a wide-range gravimetric method for measuring moisture stress*. Soil Science, vol. 106, n° 3, p. 225-231 (1968).
- [38] MITCHELL (J.K.). – *Fundamentals of soil behaviour*. John Wiley and Sons, Inc., New York, 437 p. (1993).
- [39] MUALEM (Y.). – *A catalogue of the hydraulic properties of Unsaturated soils*. Technion,



- Israel Institute of technology, Haïfa, 55 p. (1974).
- [40] PELLERIN (F.M.). – *La porosimétrie au mercure appliquée à l'étude des sols et des roches*. Bulletin de liaison des laboratoires des Ponts et Chaussées 106, p. 105-116 (1979).
- [41] PARCEVAUX (Ph.). – *Étude microscopique et macroscopique du gonflement de sols argileux*. Thèse de docteur-ingénieur, École supérieure des mines de Paris (1980).
- [42] PHILIP (J.R.) et DE VRIES (D.A.). – *Moisture movement in porous materials under temperature gradients*. Trans. Am. Geophys. Un. 38, p. 222-232 (1957).
- [43] RICHARDS (L.A.). – *A pressure - membrane extraction apparatus for soil solution*. Soil science, vol. 51, p. 377-386 (1941).
- [44] RIDLEY (A.M.) et BURLAND (J.B.). – *A new instrument for measurement of soil moisture suction*. Géotechnique 43, n° 2, p. 321-324 (1993).
- [45] RIDLEY (A.M.) et WRAY (W.K.). – *Suction measurement : a review of current theory and practices*. Proc. of the First Inter. Conf. on Unsaturated Soils, vol. 3, Paris, p. 1293-1322 (1995).
- [46] ROLLINS (R.L.), SPANGLER (M.G.) et KIRKHAM (D.). – *Movement of soil moisture under a thermal gradient*. Highway Research Board proceedings, 33, p. 492-508 (1954).
- [47] SATTLER (P.) et FREDLUND (D.G.). – *Use of thermal conductivity sensors to measure matric suction in the laboratory*. Canadian Geotechnical Journal, 26, p. 491-498 (1989).
- [48] SCHNEIDER (A.). – *Neue diagramme zur bestimmung der relativen luftfeuchtigkeit über gesättigten wasserigen salzlosungen und wasserigen schwefelsaurelosungen bei verschiedenen temperaturen*. Holz als Rohund Werkstoff 18 : 269-272 (1960).
- [49] SITHARAM (T.G.), SIVAPULLAIAH (P.V.) et SUBBA RAO (K.S.). – *Shrinkage behaviour of compacted unsaturated soils*. Proceedings of the 1<sup>st</sup> International Conference on Unsaturated Soils Uns'95, Paris, vol. 1, p. 195-200, Balkema/Presses de l'ENPC (1995).
- [50] SPANNER (D.C.). – *The Peltier effect and its use in the measurement of suction pressure*. J. Exptl. Botany, vol. 2, p. 145-168 (1951).
- [51] SPENCER (H.H.). – *Laboratory methods for maintaining constant humidity*. International critical tables of numerical data, physics, chemistry and technology. Published for the National Research Council, McGraw-Hill, New York (1926).
- [52] TESSIER (D.). – *Recherches expérimentales sur l'organisation des particules dans les argiles*. Thèse CNAM, Laboratoire de Géologie Appliquée, Paris (1975).
- [53] VACHAUD (G.), GAUDET (J.P.) et KURAZ (E.). – *Air and water flow during ponded infiltration in a bounded column of soil*. Journal of hydrology, 22, p. 89-108 (1974).
- [54] VAN OLPHEM (H.). – *An introduction to clay colloid chemistry*. 2<sup>nd</sup> Ed. John Wiley and Sons, Inc., New York (1977).
- [55] VERBRUGGE (J.C.). – *Emploi d'une méthode psychrométrique dans des essais triaxiaux sur un limon remanié non saturé*. Revue Canadienne de Géotechnique, vol. 15, p. 501-509 (1978).
- [56] VILAR (O.M.). – *Suction controlled oedometer tests on a compacted clay*. Proceedings of the first Inter. Conf. on Unsaturated Soils, Paris, vol. 1, p. 201-206 (1995).
- [57] WEAST. – Chemical rubber company (1968).
- [58] WILLIAMS (J.) et SHAYKEWICH (C.F.). – *An evaluation of polyethylene glycol PEG 6000 and PEG 20000 in the osmotic control of soil water matric potential*. Canadian Journal of Soil Science 102 (6), p. 394-398 (1969).
- [59] YOSHIMI (Y.) et OSTERBERG (J.O.). – *Compression of partially saturated cohesive soils*. ASCE J. of the Soil Mechanics and Foundations Div. 89 (4), p. 1-24 (1963).
- [60] ZERHOUNI (M.I.). – *Essais triaxiaux utilisant des psychromètres*. Comptes-rendus du 1<sup>er</sup> Congrès International sur les Sols non saturés Uns'95, Paris, vol. 2, p. 673-678 (1995).
- [61] AITCHINSON (G.D.). – *Relationship of moisture stress and effective stress functions in unsaturated soils*. Pore Pressure and Suction in Soils, Butterworth, Londres, p. 47-52 (1961).
- [62] ALONSO (E.E.), GENS (A.) et HIGHT (D.W.). – *Special problem soils*. General report. Comptes Rendus de la 9<sup>e</sup> Conférence Européenne de Mécanique des Sols et des Travaux de Fondations, 3, p. 1087-1146, Dublin (1987).
- [63] ALONSO (E.E.), GENS (A.) et JOSA (A.). – *A constitutive model for partially saturated soils*. Géotechnique, vol. 40 (3), p. 405-430 (1990).
- [64] BARDEN (L.), MADEDOR (A.O.) et SIDES (G.R.). – *Volume change characteristics of unsaturated clay*. ASCE J. Soil Mech. and Found. Div., 95 (SM1), p. 35-52 (1969).
- [65] BASTOS (C.A.B.), GEHLING (W.Y.G.) et BICA (A.V.D.). – *Some considerations about the shear strength and erodibility of unsaturated residual soils*. Proc. 2<sup>nd</sup> Int. Conf. on Unsaturated Soils Uns'98, Beijing, vol. 1, p. 19-24 (1998).
- [66] BISHOP (A.W.). – Teknisk Ukeblad, n° 39, p. 859-863 (1959).
- [67] BISHOP (A.W.) et DONALD (I.B.). – *The experimental study of partly saturated soil in the triaxial apparatus*. Proc. 5<sup>th</sup> Int. Conf. on Soil Mechanics and Found. Eng., vol. 1, p. 13-21, Paris (1961).
- [68] BISHOP (A.W.) et BLIGHT (G.E.). – *Some aspects of effective stress in saturated and unsaturated soils*. Géotechnique n° 3, p. 177-197 (1963).
- [69] BLATZ (J.) et GRAHAM (J.). – *A system for controlled suction in triaxial tests*. Géotechnique 50, n° 4, p. 465-469 (2000).
- [70] BOLZON (G.), SCHREFFLER (B.A.) et ZIENKIEWICZ (O.C.). – *Elasto-plastic soil constitutive laws generalised to partially saturated states*. Géotechnique, vol. 46, p. 279-289 (1996).
- [71] COLEMAN (J.D.). – *Stress strain relations for partly saturated soil*. Correspondence, Géotechnique 12 (4), p. 348-350 (1962).
- [72] CUI (Y.J.) et DELAGE (P.). – *Yielding and plastic behaviour of an unsaturated compacted silt*. Géotechnique 46, n° 2, p. 291-311 (1996).
- [73] DE CAMPOS (T.M.P.) et CARRILLO (C.W.). – *Direct shear testing on unsaturated soil from Rio de Janeiro*. Proc. 1<sup>st</sup> Int. Conf. on Unsaturated Soils Uns'95, Paris, vol. 1, p. 31-44 (1995).
- [74] DELAGE (P.) et GRAHAM (J.). – *The mechanical behaviour of unsaturated soils*. Proc. 1<sup>st</sup> Int. Conf. on Unsaturated Soils Uns'95, vol. 3, p. 1223-1256, Paris, Balkema/Presses des Ponts et Chaussées (1995).
- [75] DELAGE (P.), SURAJ De SILVA (G.P.R.) et De LAURE (E.). – *Un nouvel appareil triaxial pour les sols non saturés*. 9<sup>e</sup> Cong. Eur. de Mécanique des Sols, vol. 1, Dublin, p. 26-28 (1987).
- [76] DELAGE (P.), SURAJ De SILVA (G.P.R.) et VICOL (T.). – *Suction controlled testing of non saturated soils with an osmotic consolidometer*. 7<sup>th</sup> International Conference on Expansive Soils, Dallas, p. 206-211 (1992).
- [77] DINEEN (K.) et BURLAND (J.B.). – *A new approach to osmotically controlled oedometer testing*. Proc. 1<sup>st</sup> Conf. on Unsaturated Soils Uns'95, Paris, vol. 2, p. 459-465 (1995).
- [78] DUNCAN (J.M.) et CHANG (C.Y.). – *Non linear analysis of stress and strain in soils*. ASCE J. Soils Mech. and Found. Div., vol. 96, SM5, p. 1629-1654 (1970).
- [79] DRUMRIGHT (E.E.) et NELSON (J.D.). – *The shear strength of unsaturated tailings sand*. Proc. of the 1<sup>st</sup> Conference on Unsaturated Soils Uns'95, Paris, vol. 1, p. 45-50 (1995).
- [80] ESCARIO (V.). – *Swelling of soils in contact with water at a negative pressure*. Proc. 2<sup>nd</sup> Int. Conf. on Engineering and Research on Expansive Clays, Texas, p. 207-217 (1969).
- [81] ESCARIO (V.). – *Suction controlled penetration and shear tests*. Proc. 12<sup>th</sup> Int. Conf. on Soil Mech. and Found. Eng., vol. 1, p. 43-46, Rio, Balkema (1980).
- [82] ESCARIO (V.) et SAEZ (J.). – *The shear strength of partly saturated soils*. Géotechnique 36 (3), p. 453-456 (1986).
- [83] ESCARIO (V.) et JUCA (J.). – *Strength and deformation of partly saturated soils*. Proc. 4<sup>th</sup> Int. Conf. Expansive Soils (1989).
- [84] FREDLUND (D.G.) et MORGENSTERN (N.R.). – *Constitutive relations for volume change in unsaturated soils*. Canadian Geotechnical J., vol. 13 (3), p. 261-276 (1976).
- [85] FREDLUND (D.G.) et MORGENSTERN (N.R.). – *Stress state variables for unsaturated soils*. ASCE J. Soil Mech. and Found. Eng., GT 5, p. 447-466 (1977).
- [86] FREDLUND (D.G.). – *Appropriate concepts and technology for unsaturated soils*. Canadian Geotechnical J., vol. 16, p. 121-139 (1979).
- [87] FREDLUND (D.G.) et HASAN (J.V.). – *One dimensional consolidation theory: unsaturated soils*. Canadian Geotechnical Journal, 16, p. 521-531 (1979).
- [88] GAN (J.K.), FREDLUND (D.G.) et RAHARDJO (H.). – *Determination of the shear strength parameters of an unsaturated soil using the direct shear test*. Can. Geotech. J. 25 (8), p. 500-510 (1988).
- [89] GATMIRI (B.) et DELAGE (P.). – *Nouvelle formulation de la surface d'état en indices des vides pour un modèle non linéaire élastique des sols non saturés*. Proc. 1<sup>st</sup> Int. Conf. on Unsaturated Soils, vol. 2, p. 1049-1056, Paris, Balkema/Presses des Ponts et Chaussées (1995).
- [90] GEISER (F.), LALOUI (L.) et VULLIET (L.). – *Yielding of a remoulded sandy silt in saturated and unsaturated states*. Proc. 2<sup>nd</sup> Int. Conf. on Unsaturated Soils Uns'98, vol. 1, p. 54-59, Beijing (1998).
- [91] GIBSON (R.E.) et HENKEL (D.J.). – *Influence of duration of tests at constant rate of strain of measured drained strength*. Géotechnique 4 (1) : p. 6-15 (1954).
- [92] HABIB (S.A.), KATO (T.) et KARUBE (D.). – *Suction controlled one dimensional swelling and consolidation behaviour of expansive soils*. Proc. 1<sup>st</sup> Int. Conf. on Unsaturated Soils Uns'95, vol. 1, p. 101-107 (1995).



- [93] HO (D.Y.) et FREDLUND (D.G.). – *Strain rates for unsaturated soil shear strain testing*. Proc. 7<sup>th</sup> South-East Asia Conf. Soil Mech. and Found. Eng. Hong-Kong, p. 787-803 (1982).
- [94] JENNINGS (J.E.B.). – *A revised effective stress law for use in the prediction of the behaviour of unsaturated soils*. Pore Pressure and Suction in Soils, Butterworths, Londres, p. 26-30 (1961).
- [95] JENNINGS (J.E.B.) et BURLAND (J.B.). – *Limitations to the use of effective stresses in partly saturated soils*. Géotechnique 12, n° 2, p. 125-144 (1962).
- [96] JOSA (A.), ALONSO (E.E.), LLORET (A.) et GENS (A.). – *Stress-strain behaviour of partially saturated soils*. Proc. IX<sup>th</sup> Eur. Conf. of Soil Mech. and Found. Eng., vol. 2, p. 561-564 (1987).
- [97] JUCA (J.F.T.) et FRYDMAN (S.). – *General report : Experimental techniques*. Proc. of the 1<sup>st</sup> Conference on Unsaturated Soils, Unsat'95, Paris, vol. 3, p. 1257-1292 (1995).
- [98] KASSIFF (G.) et BENSCHALOM (A.). – *Experimental relationship between swell pressure and suction*. Géotechnique 21, p. 245-255 (1971).
- [99] KOMORNIK (A.), LIVNEH (M.) et SMUCHA (S.). – *Shear strength and swelling of clays under suction*. Proc. 4<sup>th</sup> Int. Conf. on Expansive Soils Denver (1980).
- [100] LAMBE (T.W.) et WHITMAN (R.V.). – *Soil Mechanics*. SI Version. J. Wiley, New York, 553 p (1979).
- [101] MAÂTOUK (A.), LEROUEIL (S.) et La ROCHELLE (P.). – *Yielding and critical state of a collapsible unsaturated silty soil*. Géotechnique 45 (3), p. 465-477 (1995).
- [102] MARINHO (F.A.M.), CHANDLER (R.J.) et CRILLY (M.S.). – *Stiffness measurements on an unsaturated high plasticity clay using bender elements*. Proc. 1<sup>st</sup> Int. Conf. on Unsaturated Soils Unsat'95, Paris, vol. 2, p. 535-539 (1995).
- [103] MASHHOUR (M.M.), IBRAHIM (M.I.) et EL-EMAM (M.M.). – Proc. 1<sup>st</sup> Int. Conf. on Unsaturated Soils Unsat'95, Paris, vol. 3, p. 1487-1493 (1995).
- [104] MATYAS (E.L.) et RADHAKRISHNA (H.S.). – *Volume change characteristics of partially saturated soils*. Géotechnique 18, n° 4, p. 432-448 (1968).
- [105] MODARESSI (A.), ABOU-BEKR (N.) et FRY (J.J.). – *Unified approach to model partially saturated and saturated soil*. Proc. of the 1<sup>st</sup> Conference on Unsaturated Soils, Unsat'95, Paris, vol. 3, p. 1495-1502 (1995).
- [106] MONGIOVI (L.) et TARANTINO (A.). – *An apparatus to investigate on the two effective stresses in unsaturated soils*. Proc. of the 2<sup>nd</sup> Conference on Unsaturated Soils, Unsat'98, Beijing, vol. 1, p. 422-425 (1998).
- [107] OTEO-MAZO (C.), SAEZ-AUNON (J.) et ESTEBAN (F.). – *Laboratory tests and equipment with suction control*. Proc. 1<sup>st</sup> Int. Conf. on Unsaturated Soils Unsat'95, Paris, vol. 3, p. 1509-1515 (1995).
- [108] PHILLIP (A.W.) et CAMERON (D.A.). – *The influence of soil suction on the resilient modulus of expansive soil subgrades*. Proc. of the 1<sup>st</sup> Conference on Unsaturated Soils Unsat'95, Paris, vol. 1, p. 171-176 (1995).
- [109] ROMERO (E.), LLORET (A.) et GENS (A.). – *Development of a new suction and temperature controlled oedometer cell*. Proc. 1<sup>st</sup> Int. Conf. on Unsaturated Soils Unsat'95, vol. 2, p. 553-559 (1995).
- [110] TOLL (D.G.). – *A framework for unsaturated soil behaviour*. Géotechnique 40 (1), p. 31-44 (1990).
- [111] TUFFOUR (Y.A.). – *Shear strength of partially saturated clays*. MSc Thesis, Technion, Israel Institute of Technology (1984).
- [112] WHEELER (S.J.) et KARUBE (D.). – *General report : constitutive modelling*. Proc. of the 1<sup>st</sup> Conference on Unsaturated Soils Unsat'95, Paris, vol. 3, p. 1323-1356 (1995).
- [113] WHEELER (S.J.). – *Inclusion of specific water volume within an elasto-plastic model for unsaturated soil*. Canadian geotechnical J., vol. 33, p. 42-57 (1996).
- [114] WHEELER (S.J.) et SIVAKUMAR (V.). – *An elasto-plastic critical framework for unsaturated soil*. Géotechnique 45 (1), p. 35-53 (1995).
- [115] YASUFUKU (N.), MURATA (H.) et HYODO (M.). – *Yield Characteristics of anisotropically consolidated sand under low and high stresses*. Soils and Foundation 31, n° 1, p. 95-109 (1991).
- [116] BURLAND (J.B.). – *Some aspects of the mechanical behaviour of partially saturated soils*. Moisture Equilibria and Moisture Changes Beneath Covered Areas, p. 270-278. Butterworths, Sydney (1965).
- [117] CUI (Y.J.), DELAGE (P.) et SULTAN (N.). – *An elasto-plastic model for unsaturated soils*. Proceedings of the 1<sup>st</sup> International Conference on Unsaturated Soils Unsat'95, Paris, vol. 2, p. 703-709 (1995).
- [118] CUI (Y.J.), DELAGE (P.) et ALZOGHBI (P.). – *Étude du comportement des loess sur le tracé du TGV Nord*. Rapport final, 85 p. (1997).
- [119] ESCARIO (V.) et SAEZ (J.). – *Measurement of the properties of swelling and collapsing soils under controlled suction*. Proc. of the 3<sup>rd</sup> Int. Conf. of Expansive Soils, p. 195-200. Haifa (1973).
- [120] FREDLUND (D.G.), RAHARDJO (H.) et GAN (J.K.M.). – *Non-Linearity of Strength Envelope for Unsaturated Soils*. Proceedings of the 6<sup>th</sup> International Conference on Expansive Soils vol. 1, New Delhi, p. 49-54 (1987).
- [121] GEHLING (W.Y.Y.), CERATTI (J.A.), NUNEZ (W.P.) et RODRIGUES (M.R.). – *A study of the influence of suction on the resilient behaviour of soils from southern Brazil*. Proc. of the 2<sup>nd</sup> Inter. Conf. on Unsaturated Soils, Unsat'98, Beijing, vol. 1, p. 47-53 (1998).
- [122] GENS (A.). – *Constitutive modelling : application to compacted soils*. General report, Proc. 1<sup>st</sup> Int. Conf. on Unsaturated Soils Unsat'95, vol. 3, p. 1179-1200. Paris (1995).
- [123] JOMMI (C.) et DI-PRISCO (C.). – *Un semplice approccio teorico per la modellazione del comportamento meccanico di terreni granulari parzialmente saturi*. Proc. Conf. il ruolo dei fluidi nei problemi di ingegneria geotecnica, Mondovi, p. 167-188 (1994).
- [124] JUCA (J.F.T.), FERREIRA (R.N.) et BASTOS (E.G.). – *Volume change and shear strength of an unsaturated expansive clay*. Proc. of the 2<sup>nd</sup> Conference on Unsaturated Soils Unsat'98, Beijing, vol. 1, p. 72-77 (1998).
- [125] KHALILI (N.) et KHABBAZ (M.H.). – *An effective stress based approach for shear strength determination of unsaturated soils*. Proc. of the 2<sup>nd</sup> Conference on Unsaturated Soils, Unsat'98, Beijing, vol. 1, p. 78-83 (1998).
- [126] LLORET (A.) et ALONSO (E.E.). – *State surface for partially saturated soils*. Proc. of the 11<sup>th</sup> Inter. Conf. on Soil Mech. and Found. Eng., San Francisco, vol. 2, p. 557-562 (1985).
- [127] TANG (G.X.), GRAHAM (J.) et WAN (A.W.L.). – *On yielding behavior of an unsaturated sand - bentonite mixture*. Proc. of the 2<sup>nd</sup> Conference on Unsaturated Soils, Unsat'98, Beijing, vol. 1, p. 149-154 (1998).
- [128] FREDLUND (D.G.), MORGENSTERN (N.R.) et WIDGER (R.A.). – *The shear strength of unsaturated soils*. Canadian Geotechnical Journal 15, p. 313-321 (1978).

### Dans les Techniques de l'Ingénieur

DELAGE (P.) et CUI (Y.J.). – *L'eau dans les sols non saturés*. C 301. Traité Construction, volume C2 (2000).

MAGNAN (J.-P.) et SOYEZ (B.). – *Compressibilité. Consolidation. Tassement*. C 214. Traité Construction, volume C2 (1988).

MAGNAN (J.-P.). – *Résistance au cisaillement*. C 216. Traité Construction, volume C2 (1991).